RT05 LED Step Light





Fits with single gang junction box. Features a nice frosted cover with trims available in four different styles: Window, Horizontal Louvered, Vertical Louvered, and Scoop. Available in 12V AC/DC or 100 - 120V AC. Wet Location Rated, cETLus listed.

Rating: Not Rated Yet Price



Ask a question about this product

Description

ALEDECO Global's RT05 LED Step Light features 2W LED light that fits into a standard single junction box, is available in 3 different faceplate styles (Window, Horizontal Louvered, Vertical Louvered, and Scoop) that we can powder coat many colors.

cETLus Listed. Indoor and Wet Location Rated.

Specifications Chart	
Light Engine Code	
Trim Code	ALED- RT05-TR-W (Window) ALED- RT05-TR-L (Horizontal Louvered) ALED- RT05-TR-VL (Vertical Louvered) ALED- RT05-TR-VL (Vertical Louvered) ALED- RT05-TR-SC (Scoop)
Voltage	100-120V AC or 12V AC/DC
Wattage	2W
Dimensions	Fits with single gang junction box
Color Temper ature	WW 2700K / 3000K / 4000K / CW 5000K / RGB (12V DC)
Lumens	145
Trim Options	Window, Horizontal Louvered, Vertical Louvered & Scoop
Finish Options	Brushed Nickel, Black, White, Dark Brown, Chrome or Custom
Certifications	

Features

- For indoor & outdoor applicationscETLus listed for indoor and outdoor wet applications
- Fits standard North American junction boxes
 All trims available in all styles and colors
- We can package trim and light engine separate or together
 Dimmable
- +50,000 hour lifespan
- 3 years warranty

Applications

- Step lightingPath lighting
- Deck lighting